



IX. Ecological Considerations: N/A

X. Disposal Considerations:

Consult Federal, State, or local authorities for proper disposal procedures. Incineration in licensed landfill is a suitable alternative. Mixing the waste with wood or paper wastes aids in assuring complete combustion.

XI. Transport Information:

DOT Proper Shipping Name: N/A

DOT Hazard Class/I.D. No.: N/A

XII. Regulatory Information:

Reportable Quantity: N/A

NFPA Rating: Health-1; Fire-0; Reactivity-0

(0=Insignificant, 1=Slight, 2=Moderate, 3=High, 4=Extreme)

Carcinogenicity Lists: No

NTP: No

IARC Monograph: No

OSHA Regulated: No

XIII. Other Information:

Synonyms/ common Names: N/A

Chemical Family Type: N/A

Important!! Read this MSDS before use of disposal of this product. Pass along the information to employees and any other persons who could be exposed to the product to be sure that they are aware of the information before use or other exposure. This MSDS has been prepared according to the OSHA Hazard Communication Standard [29 CFR 1910.1200]. The MSDS information is based on sources believed to be reliable. However since data, safety standards, and government regulations are subject to change and the conditions of handling and use, or misuse or beyond our control, Capro International, LLC, makes no warranty, either express or implied, with the respect to the completeness or continuing accuracy of the information contained herein and disclaims all liability for reliance thereon. Also, additional information may be necessary or helpful for specific conditions and circumstances of use. It is the users responsibility to determine the suitability of the product and to evaluate risks prior to use, and then to exercise appropriate precautions of employees and others.



NON-CTD: Non-Coated or Uncoated, bag is not laminated which means the fabric is not moisture resistant or moisture proof.

FIBC: Flexible intermediate bulk container which is the trade term from bulk bags.

UVI: Fabric is treated with UV inhibitors. Please follow storage directions on label. Our bags have up to 1200hour UV protection.

SWL: Stands for safe working load. 1500KG means that this particular bag can be filled with materials up to 1500 kilograms or 3300 pounds.